

DH-PFB413W

Bullet-PTZ Integrated Bracket



Features

- Neat & Integrated design, wall mount and hidden line design.
- Material: Aluminum.
- Support linkage scheme between bullet camera and speed dome, integrated installation.
- Safety rope hook attached, secure and reliable.
- Maintenance cover board attached, convenient operation.


Technical Specifications

Model	DH-PFB413W
General	
Material	Aluminum
Dimension	434mmx160mmx160mm(17.09"x6.3"x6.3")
Load Bearing	Bullet: 3kg (6.61lb) PTZ: 7kg (15.43lb)
Weight	2.0kg (4.41lb)
Color	White
Operating Temperature	-40°C ~60°C(-40°F ~ +140°F)
Humidity	0~90% RH
Applicable Model	Bullet: HFWxxE-Z/PFWxx series PTZ: SD49/65F/6AE/6AL/60 series

Order Information

Type	Part Number	Description
Camera mount	DH-PFB413W	Bullet-PTZ integrated bracket _ Dahua brand
	PFB413W	Bullet-PTZ integrated bracket _Neutral, no brand

Dimensions (mm/inch)



Application



Package Information

- Integrated bracket *1
- Application manual *1
- Adapter part *1
- Matched screw *11
- Wrench *3

Package data	
Box Dimension	643mmx254mmx165mm(25.31"x10"x6.5")
Box Weight	2.5kg (5.51lb)
Protective Box Dimension	669mmx538mmx376mm(26.34"x21.18"x14.8")
Box In Protective Box	4 In 1