



CERTIFICATE OF CONSTANCY OF PERFORMANCE

0051 – CPR – 1865

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation, or CPR), this Certificate applies to the construction product

MANUAL CALL POINT WITH INTEGRATED SHORT CIRCUIT ISOLATOR

Trademark: **INIM ELECTRONICS**

Model: **EC0020**

Other information: **see ANNEX**

Produced by:

INIM ELECTRONICS S.r.l.

Via Dei Lavoratori 10 – Frazione Centobuchi
63076 Montepandone (AP), Italy

In the manufacturing plant:

PI.H0000J

This Certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 54-11:2001 + A1:2005

EN 54-17:2005

under system **1** are applied and that **the product fulfills all the prescribed requirements set out above.**

This certificate was first issued on 2020-02-04 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonized standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

ING. V. BAGGIO
CPR TECHNICAL DIRECTOR

Milan, 2020-02-04

This Certificate was issued by IMQ S.p.A., a Notified Body according to Regulation (EU) No. 305/2011.

IMQ S.p.A. Identification Number is: 0051.

ANNEX

0051–CPR–1865

Description

Addressable Type A indoor re-settable manual call point with integrated short circuit isolator

Technical Characteristics

- Environmental category: Indoor;
- Model designation: type A;
- PCB code IN119-R1;
- Hardware identification of the microcontroller used on the main board:
ST Microelectronics, STM8L151G4 or STM8L151G6;
- Firmware identification of the microcontroller used on the main board: 1.00