

DS-PSG-WO Wireless Outdoor Siren

The wireless outdoor siren is used to connect to security control panel for instant notice when an alarm is triggered.



Available Model

- DS-PSG-WO-433
- DS-PSG-WO-868

Key Feature

- 433/868 MHz two-way wireless communication
- Reports exception automatically
- AES-128 encryption
- Adjustable volume: low, medium, and high
- Front and rear panel tamper-proof
- Protection level: IP65
- Outdoor installation
- Flashing blue LED for alarm indication
- 3 kinds of alarm sounds: fire alarm, intrusion alarm, and panic alarm





Specifications

| Model | | DS-PSG-WO-433/DS-PSG-WO-868 |
|-------------------------|-----------------------|---|
| RF | RF frequency | 433/868 MHz |
| | RF modulation | 2GFSK |
| | RF speed | 10 kbps/4.8 kbps |
| | RF power | 10 dBm |
| | RF method | Two-way communication |
| | RF encryption | AES-128 |
| | RF distance | 800 m (open area) |
| Electrical & battery | Power | 4 CR123A Batteries (default) or 12 VDC |
| | Consumption | Static consumption: < 20 uA |
| | Battery life span | 5 years in stand-by status |
| Interface and component | Learnt button | 1 |
| | TAMPER switch | Front and rear panel tamper-proof |
| | Indicator | Blue (on front panel), Green/Red (on PCB) |
| | Buzzer | 1, Decibel: 110 dB |
| Others | Operation temperature | -25 °C to +60 °C (-13 °F to +140 °F) |
| | Operation humidity | 10% to 90% (no condensing) |
| | Color | White and blue |
| | Material | PC+ABS |
| | Dimension (W × H × D) | 220.5 × 205.2 × 46 mm (8.68" × 8.08" × 1.81") |
| | Protection level | IP65 |
| | Installation | Wall mounting |



Distributed by

HIKVISION°

HeadquartersNo.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA

T+1-909-895-0400 sales.usa@hikvision.com

Hikvision Australia T+61-2-8599-4233 salesau@hikvision.com

Hikvision India T+91-22-28469900 sales@pramahikvision.com

Hikvision Canada T +1-866-200-6690 sales.canada@hikvision.com

Hikvision Thailand T +662-275-9949 sales.thailand@hikvision.com Hikvision Europe T +31-23-5542770 sales.eu@hikvision.com

Hikvision Italy T +39-0438-6902 info.it@hikvision.com

Hikvision Brazil T +55 11 3318-0050 Latam.support@hikvision.com

Hikvision Turkey T +90 (216)521 7070- 7074 sales.tr@hikvision.com

Hikvision Malaysia T+601-7652-2413 sales.my@hikvision.com Hikvision UK & Ireland T+01628-902140 sales.uk@hikvision.com

Hikvision South Africa Tel: +27 (10) 0351172 sale.africa@hikvision.com

Hikvision France T +33(0)1-85-330-450 info.fr@hikvision.com

Hikvision Kazakhstan T +7-727-9730667 nikia.panfilov@hikvision.ru

Hikvision Vietnam T +84-974270888 sales.vt@hikvision.com Hikvision UAE T +971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +65-6684-4718 sg@hikvision.com

Hikvision Spain T +34-91-737-16-55 info.es@hikvision.com

Hikvision Tashkent T +99-87-1238-9438 uzb@hikvision.ru

Hikvision Hong Kong T +852-2151-1761 info.hk@hikvision.com **Hikvision Russia** T +7-495-669-67-99 saleru@hikvision.com

Hikvision Korea T +82-(0)31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50 info.pl@hikvision.com

Hikvision Indonesia T +62-21-2933759 Sales.Indonesia@hikvision.com

Hikvision Colombia sales.colombia@hikvision.com