



Member of



# Certificate of Conformity with European standards for Components and Systems

Number of Certificate	Valid from dd-mm-yyyy	Valid until dd-mm-yyyy
EN-ST-000030	09-09-2019	08-09-2023

Subject matter of Certificate:

**Magnetic contact grade 3  
968XTP**

Owner of Certificate:

**Securite Communications SAS  
Avenue du Docteur Maurice Donat, ZAC du Font de l'Orme, Sophia Antipolis  
06250 MOUGINS CEDEX  
FRANKREICH**

Basis for certification:

**EN 50131-2-6:2008**

Use, the product disposes of the following parameters:

**Intrusion and hold-up systems, Grade 3**

The tests were carried out at VdS Schadenverhütung GmbH  
and the results are documented in test report:

**STE 11/1335 dated 07-09-2011**

VdS Schadenverhütung GmbH  
Certification Body  
Amsterdamer Str. 174  
D-50735 Köln

A company of the German  
Insurance Association (GDV)  
accredited by DAKKS as certifica-  
tion body for fire protection and  
security products



To guarantee the permanent quality of products a regular surveillance of the manufacturing process is performed.

This certificate comprises 4 pages and shall only be reproduced without any modifications and including all enclosures.

Date: 06-09-2019

Managing director

Head of certification body

To Certificate No.: EN-ST-000030

Date : 06-09-2019

The approved component/system comprises the following parts:

Description of component	Type	Applicant's Registration No.	Approval number of component (only complete for system approval)
<p><b>Magnetic switch consisting of:</b></p> <ul style="list-style-type: none"> <li>- Magnetic Switch in a grouting aluminium housing with five wire isochromatic cable</li> <li>- Two round Magnet NdFeB in a grouting aluminium housing</li> <li>- Mounting plate with an integrated bar magnet AlNiCo</li> <li>- Mounting screws</li> </ul>	<p>968XTP</p>		



To Certificate No.: EN-ST-000030

Date : 06-09-2019

The approved component/system is described as follows:

Type of document	Manufacturer's identification	Date	Number of Pages
Gap requirements per EN50131-2-6	Mcb c:\data\contacts\968XTP\ EN\3D Gaps for 968XTP	12.08.2011	5
Installation manual	P/N 5-051-649-00E	04/2011	2
Bill of material	EC-21353	17.04.2011	1
Schematic circuit diagram	3-700-518-00	14.09.2010	1
Construction drawings:			
- Switch housing	5-515-070-00	28.09.2010	1
- Magnet housing	5-515-071-00	28.09.2010	1
Position plan, magnet housing	2-102-021-01	13.10.2010	2
Position plan, layout	3-600-518-01	11.08.2010	1
Position plan, Switch housing	2-101-053-01	06/2009	2



**Enclosure 3**

**Sheet 1**

To Certificate No.: EN-ST-000030

Date : 06-09-2019

Instructions for the application of the approval component/system (see enclosure 1):

1. The device is suitable for use in intruder alarm systems according to DIN EN 50131-1:2006+A1:2009 + A2:2017.
2. The device complies with environmental class II of DIN EN 50130-5:2011.